APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. FEB 0.5 1993 Returned to applicant for correction.							
	The applicant Indian Hills General Improvement District						
	Street and No. or P.O. Box No. City or Town						
	Nevada 89705 hereby make application for permission to change to the state and Zip Code No.	he					
	Point of Diversion of a portion Point of diversion, manner of use, and/or place of use						
of '	water heretofore appropriated under Permit 43685 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree a	ind					
iden	ntify right in Decree.						
1.	. The source of water is						
2.	The amount of water to be changed 0.83 C.f.s., 86.6 mga Second feet, acre feet. One second foot equals 448.83 gallons per minute.						
	Ounci Municipal						
	The water to be used for						
	Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.						
5.	The water is to be diverted at the following point. NE NW Section 30, T.14N., R.20E., Describe as being within a 40-acre subdivision of public survey and by course a	 ind					
	MDB&M, or at a point from which the NW corner of said Section 30 bears North distance to a section corner. If on unsurveyed land, it should be stated. 83 ⁰ 43' 21" West, 1351.47 feet						
6.	The existing permitted point of diversion is located within SE4 NE4 Section 7, T.14N., R.20E., If point of diversion is not changed, do not answer.						
٠.	MDB&M, or at a point from which the NE corner of said Section 7 bears North						
	27 ⁰ 55' 30" East, 2258 feet						
7.	Proposed place of use. See attached Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.						
8.	Existing place of use	or					
	manner of use of irrigation permit, describe acreage to be removed from irrigation.						
	January 1 December 31						
	Use will be from	r.					
10.	Use was permitted from January 1 December 31 Month and Day Month and Day Month and Day	r.					
11.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an	ıd					
	specifications of your diversion or storage works.) drilled well, pump, motor, storage tanks State manner in which water is to be diverted, i.e. diversion structure.	e.					
	to distribution system ditches, pipes and flumes, or drilled well, etc.						
12	Estimated cost of works						
13.	Estimated time required to construct works						

Protested. 4/30/93 by: Edwina E. Bentinck: by: Kathleen R. weaver 5/3/93 by: Thomas E. Davis: by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-3-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-3-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-3-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-3-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: Stuart F. Rawling by: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James R Stevens: by: State By: Concetta A. Davis: 5-4-3-93 by: James A. Davis: 5-4-3-94 by: Jam	14. E	stimated time required to	complete the application	of water to beneficial use	e20 years			
By, s/Brian A. Randall, Resource Concepts, Inc. 340 North Minnesota Street Carson City, Newada 89703 Protested. 4/30/493. by:Edwina. H. Bentinck: by:Randall, Resource Concepts, Inc. 340 North Minnesota Street Carson City, Newada 89703 Protested. 4/30/493. by:Thomas E. Dawis: by:Concepts A. Davis: 5/4493 by:James R. Stevens: by:Stevens: by:Stevens: by:Goneotha A. Davis: 5/4493 by:James R. Stevens: by:Goneotha A. Davis: 5/4493 by:James R. Stevens: by:Stevens: by:Goneotha A. Davis: 5/4493 by:James R. Stevens: by:Goneotha A. Davis: 5/4493 by:James B. Stevens: by:Goneotha A. Davis: 5/4494 by:James Breathing A. Stevens: by:Goneotha A. Davis: 5/4494 by:Goneotha A. Davis: 5/4494 by:Goneotha A.								
Compared. Compared. Carson City, Nevada 89703 Protested. 4/30/93 by:Fdowina E. Remtinok: by:Kathleen R. Weaver 5/3/93 by:Thomas E. Davis: by:Congetta A. Davis: 574'93 by:Thomas E. Davis: by:Congetta A. Davis: 574'93 by:James R. Stevens: by:Stuart F. Rawlinghenova. OF STATE ENGINEER Stevens: by:Stuart F. Rawlinghenova. OF STATE ENGINEER Stevens: by:Stuart F. Rawlinghenova. OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitings and conditions: change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein: The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Regineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52993, 55399, 58131, 58528, 58529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not valve the requirements that the permit holder obtain other permits from State, Pederal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. Applicati		See attache	ed					
Compared. bc/bc 317/yW 340 North Minnesota Street Carson City, Nevada 89703 Protested. 4/30/93 by:Edwina H. Bentinck: by:Richard C. Beattinck: by:Kathleen R. Weaver 5/3/93 by:Thomas Enarts: by:George N. Benesch, Raigh Elvik et, al. Pro. Overrulad 7/26/94 Extevens: by:Stuart F. Rawlinghenova Dy:George N. Benesch, Raigh Elvik et, al. OF STATE ENGINEER This is derily that I have examined the foregoing application, and do hereby grant the same, subject to the following limitings and cognitions: change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55133, 55133, 5528, 59529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. (CONTINUED ON PAGE 2) The annually. Mork must be prosecu	•••			***************************************				
Compared. bc/bc 317/yW 340 North Minnesota Street Carson City, Nevada 89703 Protested. 4/30/93 by:Edwina H. Bentinck: by:Richard C. Beattinck: by:Kathleen R. Weaver 5/3/93 by:Thomas Enarts: by:George N. Benesch, Raigh Elvik et, al. Pro. Overrulad 7/26/94 Extevens: by:Stuart F. Rawlinghenova Dy:George N. Benesch, Raigh Elvik et, al. OF STATE ENGINEER This is derily that I have examined the foregoing application, and do hereby grant the same, subject to the following limitings and cognitions: change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55133, 55133, 5528, 59529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. (CONTINUED ON PAGE 2) The annually. Mork must be prosecu								
Compared. Compared. Carson City, Nevada 39703 Protested. 4/30/93 by:Edwina E. Bentinek: by:Richard C. Bentinek: by:Kathleen R. Weaver 5/3/93 by:Thomas E. Davis: by:Concetta A. Davis: 5*4*93 by:James R. Stevens: by:Stuart F. Rawling&FroVal by:George N. Benesch, Ralph Elvik et, al. Pro. Overruled 7/26/94 Enthis is decrify that I have examined the foregoing application, and do hereby grant the same, subject to the following limiting and conditions: change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55339, 55131, 58528, 59529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Pederal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. (CONTINUED ON PAGE 2) The annually. Mork must be prosecuted with reasonable diligence and be complet				ъ, s/Brian A. R	Randall			
Protested 4/30/93 by:Edwina E. Bentinck: by:Richard C. Bentinck: by:Kathleen R. Weaver 5/3/93 by:Thomas Enarts: by:Concetta A. Davis: 5×493 by:James R. Stevens: by:Stuart F. Rawlin-Barroth. December 1. Davis: 5×493 by:James R. Pro. Overruled 7/26/94 This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitagos and conditions: change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in the Defore any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55539, 55131, 58528, 58529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. (CONTINUED ON PAGE 2) The amount of water to beneficial use shall be filed on or before. December 10, 1995 Map in support of proof o	Comp	ared bc/bc	jr/vjw	340 North Mi	nnesota Street			
R. Weaver 5/3/93 by; Thomas E Davis: by:Cooncetta A. Davis: 534993 by; James R Stevens: by; Stuart F. Rawling Frovan Device of State Engineers of Proc. Overruled 7/26/94 See Ruling 4128 This is to certify decomply that I have examined the foregoing application, and do hereby grant the same, subject to the following limitating permit 100 change the Point of Diversion of a Portion of the waters of an underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed abefore any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44266, 48105, 52093, 55393, 58131, 58528, 58529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. Convented to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1680.2 acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or b	Protes	ted4/30/93bv:E	dwinaHBenti	* ·				
This is 6 certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions imposed in Serial Permit 43685 in issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filled. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55393, 58131, 58528, 58529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. (CONTINUED ON PAGE 2) The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 0.83 cubic feet per second. November 10, 1995 Proof of completion of work shall be filed before. December 10, 1995 Map in support of proof of beneficial use shall be filed on or before. November 10, 1996 Proof of beneficial use filed. IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and	R. W Stev Pro.	Teaver 5/3/93 by Tens: by;Stuart 1 Overruled 7/26/94	Thomas <u>F. Davi</u>	<u>s: by:Conc</u> etta	A. Davis: 5^34^393 by; James R.			
underground source as heretofore granted under Permit 43685 is issued subject to the terms and conditions imposed in said Permit 43685 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55539, 58131, 58528, 58529 and 58530 shall not exceed 1680.2 acre-feet annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. This permit is issued pursuant to the State Engineer's Ruling No. 4128, dated July 26, 1994. Work must be prosecuted with reasonable diligence and be completed on or before. December 10, 1995 Proof of completion of work shall be filed before. December 10, 1995 Map in support of proof of beneficial use shall be filed on or before. November 10, 1996 Only 1996 Only 1996 Only 2996 Only	T	nis is to certify that I hav	ve examined the foregoing	ng application, and do l	hereby grant the same, subject to the			
cubic feet per second. , but not to exceed 265.6 acre-feet annually. Work must be prosecuted with reasonable diligence and be completed on or before. November 10, 1995 Proof of completion of work shall be filed before. December 10, 1995 Application of water to beneficial use shall be made on or before. November 10, 1996 Proof of the application of water to beneficial use shall be filed on or before. December 10, 1996 Map in support of proof of beneficial use shall be filed on or before. December 10, 1996 SEP 11 1996 Completion of work filed. IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of September. Cultural map filed.		terms and condition other rights on the shall be equipped waintained in the measurements must must be installed be of work is filed. to prevent waste. Engineer pursuant of the water herein This permit public, private or The total control of the water herein to the water herein to the total control of the water herein to the total control of the issuance to the issuance holder obtain other this permit of the water herein to the total control of the issuance holder obtain other this permit of the control of the total of the total control of the total control of the issuance holder obtain other this permit of the control of the total of	ns imposed in said a source will be a with a 2-inch open discharge pipel be kept of water efore any use of t If the well is f. This source is to NRS 534.030. In granted at any a does not extend t corporate lands. Ombined duty of w 6, 48105, 52093, feet annually. of this permit of permits from Stais issued pursuant	d Permit 43685 and affected by the character and a totalizatine near the point placed to benefic the water begins or lowing, a valve multiple to the State retains and all times. The permittee the ater under Permittee the ater under Permittee the ater to the State English to the State English and I to the State Englis	with the understanding that no ange proposed herein. The well ing meter must be installed and int of diversion and accurate tial use. The totalizing meter before the proof of completion ist be installed and maintained area designated by the State the right to regulate the use right of ingress and egress on 42791, 42792, 42795, 42799, 528, 58529 and 58530 shall not be requirements that the permit local agencies. gineer's Ruling No. 4128, dated			
annually. Work must be prosecuted with reasonable diligence and be completed on or before. November 10, 1995 Proof of completion of work shall be filed before. December 10, 1995 Application of water to beneficial use shall be made on or before. November 10, 1996 Proof of the application of water to beneficial use shall be filed on or before. December 10, 1996 Map in support of proof of beneficial use shall be filed on or before. December 10, 1996 SEP 11 1996 Completion of work filed. IN TESTIMONY WHEREOF, I., R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of September. Cultural map filed.								
Work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before. Application of water to beneficial use shall be made on or before. Proof of the application of water to beneficial use shall be filed on or before. Map in support of proof of beneficial use shall be filed on or before. December 10, 1996. Map in support of proof of beneficial use shall be filed on or before. December 10, 1996. SEP 11 1996 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 1st. day of September. Cultural map filed. A.D. 19								
Proof of completion of work shall be filed before		annually.						
Application of water to beneficial use shall be made on or before	Work :	must be prosecuted with re	easonable diligence and b	pe completed on or befor	e November 10, 1995			
Proof of the application of water to beneficial use shall be filed on or before	Proof	of completion of work sha	ll be filed before		December 10, 1995			
SEP 11 1996 Completion of work filed	Applic	ation of water to beneficia	l use shall be made on o	r before	November 10, 1996			
SEP 11 1996 Completion of work filed	Proof	of the application of water	to beneficial use shall be	e filed on or before	December 10, 1996			
Completion of work filed	Map in	support of proof of benef	ficial use shall be filed or	n or before	December 10, 1996			
State Engineer of Nevada, have hereunto set my hand and the seal of my Office, this 1st day of September A.D. 19		SEP 1						
Office, this 1st day of September , Cultural map filed	Comple	tion of work filed						
Cultural map filed	Proof of	beneficial use filed	•••••	_				
	Cultural	map filed	••••••••	~ /				
WALL U. A. V. U	Certifica	ate NoIssued			11/9 - 10-			
Abrogated By: 10-1, 66867-T 0.31 27:22 T 0.31 EX 10-6-06	Abroga	sted By Yort, 6686	ZT 0.31	presented	State Engineer			

(O)-1108 (Rev. 6-81)

(PERMIT TERMS CONTINUED)

This permit is issued subject to a groundwater monitoring plan, which must be submitted within 120 days of the date of this permit.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amounts of water pumped from this well and all other wells in the Indian Hills System.

Attachment to Application to Change for Indian Hil s G.I.D. Item 7 - Proposed Place of Use

SW¼NE¼, SE¼NW¼, NE¼SW¼, NW¼SE¼ Section 12; T. 14 N., R. 19 E., SW¼SE¼, portion of SE¼SW¼ Section 6; NW¼NE¼, SE¼NW¼, W½SW¼, portions of NE¼NW¼, SW¼NE¼, NW¼SE¼, SW¼SE¼, SE¼NE¼, E½SE¼ & SE¼SW¼ Section 7; S½N½, SW¼, NW¼NW¼SE¼ Section 8; NW¼NW¼, W½NE¼NW¼, NW¼NW¼ SW¼, W½SW¼NW¼ Section 17; NE¼NE¼, NE¼SE¼, SW¼SE¼, NW¼SE¼SE¼, NW¼, NW¼SW¼ Section 18; NW¼NE¼ Section 19; T. 14 N., R. 20 E., MDB&M

Attachment to Application to Change a portion of Permit 43685 for Indian Hills G.I.D.

Item 15 - Remarks

The well under this application is the same well as Permit 55539. Water is to be used for residential and commercial development within the service area of the Indian Hills G.I.D. Please use maps on file at the Division of Water Resources under Application 48962 to support the proposed Point of Diversion and under Application 43685 to support the proposed Place of Use and the existing Point of Diversion and Place of Use. The total combined duty of water under this application, applications to change portions of Permits 44626 and 52093 being filed concurrently, Application 58131, and Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093 and 55539 is not to exceed 547.5 million gallons annually.